

Certificate of Analysis

Produced: May 22, 2026

Sample: Willie's Remedy+ THC Infused Bottle 10mg 750ml (Edible Liquid) • Client: Elixera Labs • Batch: Pass



Batch No.: NBTHE088A1

Matrix: Edible Liquid

Density: 1.0337 g/ml

Sample ID: ICC-260518-02-003

Collected on: May 19, 2026

Received on: May 19, 2026

Batch Size:

Sample Size:

Package Size: 776.73 g

Serving Size: 45.69 g

The material submitted for testing: not created by chemical synthesis, modification or chemical conversion from another cannabinoid utilizing non-cannabis material.

Batch Result: Pass

Potency	Tested	Mycotoxins	Pass
Solvents	Pass	Pesticides	Pass
Metals	Pass	Foreign	Pass
Microbial	Pass		

Cannabinoid Overview

Δ⁹-THC:	10.5 mg/srv
CBD:	2.04 mg/srv
Total Cannabinoids:	14.8 mg/srv
Sum of Cannabinoids:	14.8 mg/srv

POT-INST-005: POT-INST-005: Potency • May 22, 2026

Analyte	Amt (mg/srv)	Amt (mg/pkg)	Amt (%)	Amt (mg/ml)	LOD/LOQ (mg/ml)	Pass/Fail
CBC			ND	ND	0.00114/0.00340	N/A
CBD	2.04	34.7	0.00447	0.0462	0.000346/0.00172	N/A
CBDA			ND	ND	0.000828/0.00248	N/A
CBDV			ND	ND	0.000275/0.00172	N/A
CBG	2.15	36.5	0.00470	0.0486	0.000391/0.00172	N/A
CBGA			ND	ND	0.000610/0.00183	N/A
CBL			ND	ND	0.000270/0.00172	N/A
CBN	0.0964	1.64	0.000211	0.00218	0.000391/0.00172	N/A

Analyte	Amt (mg/srv)	Amt (mg/pkg)	Amt (%)	Amt (mg/ml)	LOD/LOQ (mg/ml)	Pass/Fail
CBT	0.0795	1.35	0.000174	0.00180	0.000491/0.00172	N/A
Δ ⁸ -THC			ND	ND	0.000278/0.00172	N/A
Δ ⁹ -THC	10.5	178	0.0229	0.237	0.000458/0.00172	N/A
THCA			ND	ND	0.000630/0.00189	N/A
THCV			ND	ND	0.000212/0.00172	N/A
Total THC**	10.5	178	0.0229	0.237		N/A
Total CBD**	2.04	34.7	0.00447	0.0462		N/A
Total Cannabinoids**	14.8	252	0.0325	0.335		N/A

** Total Cannabinoids = Neutral Cannabinoids + (Acidic Cannabinoids * 0.877)

** Total THC = Delta-8-THC + (Delta-8-THCA x 0.877) + Delta-9-THC + (THCA x 0.877)

** Total CBD = CBD + (CBDA x 0.877)

NR= Not Reported, ND= Not Detected, *Reported by Dry Mass*; *analytical instrumentation used Cannabinoids: UHPLC-DAD, Moisture: Mass by Drying, Water Activity: Water Activity Meter, Foreign: Microscope*
 *Density tested at a temperature range between 19-24 °C, *Water Activity tested at a humidity range between 0-90% Relative Humidity. All OA samples are sampled by the client, All California State Compliant samples sampled using SAMPL-SOP-001.



RS-INST-003, RS-PREP-001: RS-INST-003, RS-PREP-001: Residual Solvents by GC-MS • May 20, 2026

Analyte	Limit (µg/g)	Amt (µg/g)	LOD/LOQ (µg/g)	Pass/Fail	Analyte	Limit (µg/g)	Amt (µg/g)	LOD/LOQ (µg/g)	Pass/Fail
1,2-Dichloroethane	1	ND	0.168/0.511	Pass	Hexane	290	ND	0.0663/0.282	Pass
Acetone	5000	ND	17.2/51.5	Pass	Isopropyl alcohol	5000	ND	1.29/3.86	Pass
Acetonitrile	410	ND	0.121/0.361	Pass	Methanol	3000	ND	2.99/8.96	Pass
Benzene	1	ND	0.0211/0.0642	Pass	Methylene chloride	1	ND	0.128/0.732	Pass
Butane	5000	ND	0.976/4.87	Pass	Pentane	5000	ND	0.966/4.29	Pass
Chloroform	1	ND	0.0362/0.109	Pass	Propane	5000	ND	4.45/13.4	Pass
Ethanol	5000	1500	2.63/7.88	Pass	Toluene	890	ND	0.0884/0.868	Pass
Ethyl acetate	5000	ND	0.314/2.30	Pass	Trichloroethylene	1	ND	0.0181/0.146	Pass
Ethylene oxide	1	ND	0.154/0.582	Pass	o-Xylene	ND	ND	0.101/0.861	N/A
Ethyl ether	5000	ND	1.19/3.56	Pass	p- and m-Xylene	ND	ND	0.116/1.72	N/A
Heptane	5000	ND	0.690/2.87	Pass	Total xylenes	2170	ND	0.101/0.862	Pass

Compliance requirements for this test are taken from CA Cannabis/Hemp (Based on Submission Type) regulations.

HM-INST-003, HM-PREP-001: HM-INST-003, HM-PREP-001: Heavy Metals Testing by ICP-MS • May 21, 2026

Analyte	Limit (µg/g)	Amt (µg/g)	LOD/LOQ (µg/g)	Pass/Fail	Analyte	Limit (µg/g)	Amt (µg/g)	LOD/LOQ (µg/g)	Pass/Fail
Arsenic	1.5	ND	0.00300/0.00900	Pass	Lead	0.5	ND	0.00100/0.00400	Pass
Cadmium	0.5	ND	0.00100/0.00200	Pass	Mercury	3	ND	0.00500/0.0140	Pass

Compliance requirements for this test are taken from CA Cannabis/Hemp (Based on Submission Type) regulations.

MICRO-008, MICRO-INST-001, MICRO-PREP-001: MICRO-008, MICRO-INST-001, MICRO-PREP-001: PCR-Microbial (noninhalable) • May 20, 2026

Analyte	Limit	Amt	Pass/Fail	Analyte	Limit	Amt	Pass/Fail
Salmonella spp.	Any amt in 1 gram	ND	Pass	Shiga toxin-producing E. coli	Any amt in 1 gram	ND	Pass

Compliance requirements for this test are taken from CA Cannabis/Hemp (Based on Submission Type) regulations.

MICR-002: MICR-002: Petrifilm-Aerobic • May 20, 2026

Analyte	Limit (CFU/g)	Amt (CFU/g)	Pass/Fail
Aerobic Bacteria	10000	ND	Pass

Compliance requirements for this test are taken from CO Hemp regulations.

MICR-002: MICR-002: Petrifilm-Coliforms • May 20, 2026

Analyte	Limit (CFU/g)	Amt (CFU/g)	Pass/Fail
Coliforms	100	ND	Pass

Compliance requirements for this test are taken from CO Hemp regulations.

Petrifilm- Staphylococcus aureus • May 20, 2026

Analyte	Limit	Amt	Pass/Fail
Staphylococcus aureus		ND	N/A

Compliance requirements for this test are taken from CA Cannabis/Hemp (Based on Submission Type) regulations.

MICR-005, MICR-006: MICR-005, MICR-006: Petrifilm-Rapid Yeast & Mold • May 21, 2026

Analyte	Limit (CFU/g)	Amt (CFU/g)	Pass/Fail
Yeast & Mold	1000	ND	Pass

Compliance requirements for this test are taken from CO Hemp regulations.

PESTMICO-LC-INST-004, PESTMYCO-LC-PREP-001: PESTMYCO-LC-INST-004, PESTMYCO-LC-PREP-001: Mycotoxin Analysis by LC-MS/MS • May 21, 2026

Analyte	Limit (µg/kg)	Amt (µg/kg)	LOD/LOQ (µg/kg)	Pass/Fail	Analyte	Limit (µg/kg)	Amt (µg/kg)	LOD/LOQ (µg/kg)	Pass/Fail
Aflatoxin B1		ND	1.08/3.25	N/A	Aflatoxin G2		ND	0.736/2.51	N/A
Aflatoxin B2		ND	0.941/2.82	N/A	Aflatoxins	20	ND		Pass
Aflatoxin G1		ND	2.38/7.13	N/A	Ochratoxin A	20	ND	3.87/11.7	Pass

Compliance requirements for this test are taken from CA Cannabis/Hemp (Based on Submission Type) regulations.



DU

Erik Paul

PEST-GC-INST-003, PEST-GC-PREP-001: PEST-GC-INST-003, PEST-GC-PREP-001: Pesticide Analysis by GC-MS/MS • May 21, 2026

Analyte	Limit (µg/g)	Amt (µg/g)	LOD/LOQ (µg/g)	Pass/Fail
Captan	5	ND	0.120/0.358	Pass
Chlordane	Any amt	ND	0.0249/0.0747	Pass
Chlorfenapyr	Any amt	ND	0.0251/0.0753	Pass
Cyfluthrin	1	ND	0.0186/0.0558	Pass

Analyte	Limit (µg/g)	Amt (µg/g)	LOD/LOQ (µg/g)	Pass/Fail
Cypermethrin	1	ND	0.0145/0.0435	Pass
Methyl parathion	Any amt	ND	0.00811/0.0243	Pass
Pentachloronitrobenzene	0.2	ND	0.0182/0.0545	Pass

Compliance requirements for this test are taken from CA Cannabis/Hemp (Based on Submission Type) regulations.

PESTMYCO-LC-INST-004, PESTMYCO-LC-PREP-001: PESTMYCO-LC-INST-004, PESTMYCO-LC-PREP-001: Pesticide Analysis by LC-MS/MS • May 21, 2026

Analyte	Limit (µg/g)	Amt (µg/g)	LOD/LOQ (µg/g)	Pass/Fail
Abamectin	0.3	ND	0.0500/0.100	Pass
Acephate	5	ND	0.0164/0.0497	Pass
Acequinocyl	4	ND	0.0194/0.0587	Pass
Acetamiprid	5	ND	0.0146/0.0442	Pass
Aldicarb	Any amt	ND	0.0216/0.0654	Pass
Azoxystrobin	40	ND	0.00960/0.0291	Pass
Bifenazate	5	ND	0.0115/0.0349	Pass
Bifenthrin	0.5	ND	0.0130/0.0395	Pass
Boscalid	10	ND	0.0197/0.0596	Pass
Carbaryl	0.5	ND	0.0160/0.0486	Pass
Carbofuran	Any amt	ND	0.00902/0.0300	Pass
Chlorantraniliprole	40	ND	0.0209/0.0632	Pass
Chlorpyrifos	Any amt	ND	0.0176/0.0534	Pass
Clofentezine	0.5	ND	0.0129/0.0389	Pass
Coumaphos	Any amt	ND	0.0185/0.0559	Pass
Daminozide	Any amt	ND	0.0261/0.0791	Pass
Diazinon	0.2	ND	0.00645/0.0300	Pass
Dichlorvos	Any amt	ND	0.0223/0.0674	Pass
Dimethoate	Any amt	ND	0.0118/0.0356	Pass
Dimethomorph	20	ND	0.0137/0.0416	Pass
Ethoprophos	Any amt	ND	0.0174/0.0528	Pass
Etofenprox	Any amt	ND	0.00849/0.0300	Pass
Etoxazole	1.5	ND	0.00783/0.0300	Pass
Fenhexamid	10	ND	0.0129/0.0392	Pass
Fenoxycarb	Any amt	ND	0.0144/0.0435	Pass
Fenpyroximate	2	ND	0.00972/0.0300	Pass
Fipronil	Any amt	ND	0.0148/0.0447	Pass
Fonicamid	2	ND	0.0268/0.0811	Pass
Fludioxonil	30	ND	0.0153/0.0464	Pass
Hexythiazox	2	ND	0.0257/0.0778	Pass

Analyte	Limit (µg/g)	Amt (µg/g)	LOD/LOQ (µg/g)	Pass/Fail
Imazalil	Any amt	ND	0.0156/0.0474	Pass
Imidacloprid	3	ND	0.0235/0.0711	Pass
Kresoxim-methyl	1	ND	0.0125/0.0379	Pass
Malathion	5	ND	0.0117/0.0354	Pass
Metalaxyl	15	ND	0.0101/0.0306	Pass
Methiocarb	Any amt	ND	0.0156/0.0473	Pass
Methomyl	0.1	ND	0.0158/0.0479	Pass
Mevinphos	Any amt	ND	0.0139/0.0423	Pass
Myclobutanil	9	ND	0.0180/0.0546	Pass
Naled	0.5	ND	0.0170/0.0514	Pass
Oxamyl	0.2	ND	0.0153/0.0465	Pass
Pacllobutrazol	Any amt	ND	0.0132/0.0400	Pass
Permethrin	20	ND	0.00831/0.0300	Pass
Phosmet	0.2	ND	0.0125/0.0377	Pass
Piperonylbutoxide	8	ND	0.00759/0.0300	Pass
Prallethrin	0.4	ND	0.0226/0.0685	Pass
Propiconazole	20	ND	0.0195/0.0590	Pass
Propoxur	Any amt	ND	0.0155/0.0471	Pass
Pyrethrins	1	ND	0.00431/0.0300	Pass
Pyridaben	3	ND	0.0115/0.0350	Pass
Spinetoram	3	ND	0.00639/0.0300	Pass
Spinosad	3	ND	0.00410/0.0300	Pass
Spiromesifen	12	ND	0.0137/0.0416	Pass
Spirotetramat	13	ND	0.0134/0.0407	Pass
Spiroxamine	Any amt	ND	0.0106/0.0320	Pass
Tebuconazole	2	ND	0.0144/0.0437	Pass
Thiacloprid	Any amt	ND	0.0139/0.0421	Pass
Thiamethoxam	4.5	ND	0.0181/0.0549	Pass
Trifloxystrobin	30	ND	0.0102/0.0310	Pass

Compliance requirements for this test are taken from CA Cannabis/Hemp (Based on Submission Type) regulations.



DM

Erik Paulson